Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"632807".ap.	US-PGPUB; USPAT	OR	OFF	2008/02/13 17:06
L2	919	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:24
L3	825	(370/236).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:24
L4	832	(455/524).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:25
L5	2539	(455/517).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:25
L6	344	(726/15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:25
L7	2485	(370/235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:25

					,	
L8	640	2 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:26
L9 '	676	3 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2008/02/13 17:26
L10	785	4 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:26
L11	2312	5 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/13 17:26
L12	234	6 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:27
L13	1706	7 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:27
L14	0	8 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:30

L15	0	9 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:30
L16	0	10 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:30
L17	0	11 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31
L18		12 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31
L19	0	13 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 wirless near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31
L20	0	8 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31
L21	0	9 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31

						,
L22	0	10 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:31
L23	0	11 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:32
L24		12 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:32
L25	0	13 and ((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:32
L26	0	((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:32
L27	0	((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with wirless with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/13 17:32
L28	0	((poll\$4 or inquir\$4 or check\$4 or survey\$4) same status same wirless same (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/13 17:33

2/13/2008 5:44:16 PM C:\Documents and Settings\ashan\My Documents\EAST\Workspaces\10632807Wireless.wsp Page 4

L29	1856	((poll\$4 or inquir\$4 or check\$4 or survey\$4) same status same (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON ·	2008/02/13 17:33
L30	591	((poll\$4 or inquir\$4 or check\$4 or survey\$4) with status with (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON 	2008/02/13 17:33
L31	305	((poll\$4 or inquir\$4 or check\$4 or survey\$4) near5 status near5 (access point or router or gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON /	2008/02/13 17:34
L32	217	31 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:34
L33	0	(31 near5 wirless) and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:34
L34		(31 same wirless) and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:35
L35	217	32 and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:35

2/13/2008 5:44:16 PM C:\Documents and Settings\ashan\My Documents\EAST\Workspaces\10632807Wireless.wsp Page 5

L36	0	(30 same wirless) and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:36
L37	1237	(29) and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:36
L38	8	(29 and wirless) and (@pd <"20021008" OR @ad <"20021008" OR @rlad<"20021008" OR @prad<"20021008")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:37
L39	203739	Lor-Kar-Wing Edward.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:37
L40	205	Martin-Richard.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:38
L41	0	Hassen-Alarabl-Omar.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2008/02/13 17:38
L42	23	Richard-Martin.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 17:39

					-	,
S1	725	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/16 12:44
S2	232	(enterprise or company or organization) and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/13 17:52
S3	2	"7082133".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/13 17:40
S4	2	"6201562".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 17:40
S5	5	"107794".ap.	USPAT	OR	OFF	2006/11/13 17:54
S6	7	"107794".ap.	US-PGPUB; USPAT	OR	OFF	2006/11/13 17:54
S7	8	wireless internet protocol phone and (voice over internet protocol or voip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/14 09:26
S8	33	(wireless internet protocol phone or wireless ip phone) and (voice over internet protocol or voip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/14 09:39

						· · · · · · · · · · · · · · · · · · ·
S9	726	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:39
S10	232	(enterprise or company or organization) and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/14 11:57
S11		(wireless internet protocol phone or wireless ip phone) and (voice over internet protocol or voip) and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/14 09:40
S12	1	(wireless internet protocol phone or wireless ip phone) and (voice over internet protocol or voip) and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/14 09:41

2/13/2008 5:44:16 PM Page 8

	 		T		T	T
S13	188	("5907544" "5461627" "5933420" "5987024" "6208629" "6240078" "6243870" "6438223" "6522881" "7103359" "20040054774" "20040078598" "20040078566" "20050053043" "20050058112" "20050053043" "20050058112" "20060094370" "20060094371" "20060094370" "20060094371" "20060176849" "5210788" "5297189" "5436905" "5490139" "5515509" "5533026" "5542101" "5546397" "5570084" "5592541" "5623495" "5633888" "5636217" "5664007" "5717689" "5724346" "5787328" "5774461" "5787111" "5787077" "5815811" "5822309" "5835061" "5875186" "5890156" "5896373" "5898679" "5990820" "5997542" "5912885" "5920820" "5923702" "5946617" "5960344" "5969678" "5987062" "5991287" "5994998" "6002918" "6006090" "6005884" "6008923" "6049533" "6061563" "6061563" "6067297" "6085084" "6084867" "6091951" "6104712" "6115411" "6122759" "6140911" "6141763" "6144855" "6154461" "6188681" "6201811" "6201962" "6212175" "6215779" "6219553" "6212175" "6215779" "6219553" "62233446" "6233452" "6249671" "6259405" "6326918" "6326918" "6327570" "6363320"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 12:07
S14	3	"6366584" "6366771").pn. "209568".ap.	US-PGPUB;	OR	OFF	2006/11/14 13:00
S15	1	"200 4 0022186".pn.	USPAT US-PGPUB; USPAT	OR	OFF	2006/11/14 13:19
S16	1	"20040023639".pn.	US-PGPUB; USPAT	OR	OFF	2006/11/14 13:01
S17	7	"906633".ap.	US-PGPUB; USPAT	OR	OFF	2006/11/14 13:19
S18	556	(data packet with authenticat\$4) and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/14 14:13

Page 9

7		010 150 15	110 000:10	00	OFF	2006/14/14 14 15
S19	203	S18 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:15
S20	106	S19 and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:15
S21		S20 and encapsulat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
S22	. 2	"20010037395".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:57
S23	89	Numminen.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:58
S24	11	Numminen-Raili.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:22
S25	10	("5670950" "5729542" "5793762" "5953328" "6049712" "6091945" "6259909" "6324402" "6389284" "6453159").PN. OR ("6813496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/14 15:49
S26	1	"5670950".pn.	USPAT	OR	OFF	2006/11/14 15:51
S27	1	"5890064".pn.	USPAT	OR	OFF	2006/11/14 15:52

S28	1	"6870822".pn.	USPAT	OR	OFF	2006/11/15 09:30
S29	73585	(balance load) and (wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:20
S30	589	(balance load) and (wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/15 14:20
S31		Numminen-Raili.in. and (packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:22
S32		("5670950" "5729542" "5793762" "5953328" "6049712" "6091945" "6259909" "6324402" "6389284" "6453159").PN. OR ("6813496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/15 14:25
S33	73703	(wireless) and (packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB.	OR	ON	2006/11/15 14:53
S34	647	(evaluat\$4 or check\$4 or exam\$4) with (packet) with (wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 14:54
S35	99	(evaluat\$4 or check\$4 or exam\$4) with (packet) with (wireless network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/15 14:55

S36	7	(evaluat\$4 or check\$4 or exam\$4) with (packet) with (wireless network) with (access point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/15 16:42
S37	2	"6307837".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:42
S38	1	Ishizaka-Takahiro.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:52
S39	. 0	Oyoshi-Shouji.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:52
S40	27	("5124984" "5199072" "5638448" "5659615" "5689566" "5757924" "5790548" "6047325" "6081900").PN. OR ("6307837"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/16 13:21
S41	1	"5655219".pn.	USPAT	OR	OFF	2006/11/16 13:21
S42	6	"632807".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 13:31
S43	2026	(370/235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 13:31

S44	170	S43 and (wireless network)	US-PGPUB; USPAT;	ADJ	OFF	2007/03/06 13:32
	•		USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S45	3	S43 and (wireless network) and (wireless phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/06 13:34
S46	1	"6307837".pn.	USPAT	OR	OFF	2007/03/06 13:42
S47	12	Numminen-Raili.in.	US-PGPUB; USPAT; USOCR; FPRS;	OR	OFF	2007/03/06 13:43
			EPO; JPO; DERWENT; IBM_TDB			
S48	7	"626643".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/07 12:16
S49	131	(switch) with (poll\$4) with (access point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/07 12:44
S50	14	(switch) with (poll\$4) with (access point) with wireless	US-PGPUB; USPAT; USOCR; FPRS;	OR	ON	2007/03/07 12:54
			EPO; JPO; DERWENT; IBM_TDB			
S51	396 .	(poll\$4) with (access point) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:13

S52	3	(poll\$4) with (access point) with wireless with (network device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 12:57
S53	2	(poll\$4) with (access point) with wireless with (network device) with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 13:01
S54	2	(periodical\$4 poll\$4) with (access point or base station) with wireless with (network device) with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON ,	2007/03/07 13:01
S55	20	(periodical\$4 poll\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 13:02
S56	1	(poll\$4) with (access point or base station) with wireless with (exchang\$4) with (protocol) with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:15
S57	1	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) with (access point or base station) with wireless with (exchang\$4) with (protocol) with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:15
S58	5	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) with (access point or base station) with wireless with (exchang\$4) with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/07 14:22

			Τ	T · · · · · · · · · · · · · · · · · ·	1	·
S59	2352	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:22
S60	821	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:22
S61	778	(poll\$4 or check\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:23
S62	0	periodcal\$4 with (poll\$4 or check\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:23
S63	56 _.	periodical\$4 with (poll\$4 or check\$4) with (access point or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:48
S64	27	exchang\$ with status with (access point or base station) with (network device or router or gateway or bridge or switch or hub or node or repeater)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S65	1	"7002932".pn.	USPAT	OR	OFF	2007/03/07 15:19
S66	1	"20040081140".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/07 15:40
S67	1	"20060047841".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/07 15:47

		Y	··	т	· r	
S68	20	(switch or edge manager) with messaging protocol with (access point or edge device or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:04
S69	3185	(switch or edge manager) with (access point or edge device or base station) with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:05
S70	0	(switch or edge manager) with (access point or edge device or base station) with wireless with (periodical\$4 poll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:05
S71	0	(switch or edge manager) with (access point or edge device or base station) with wireless with (periodcally poll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:06
S72	7	(switch or edge manager) with (access point or edge device or base station) with wireless with (poll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/03/07 16:07
S73	0	(switch or edge manager) with (access point or edge device or base station) with wireless with (staus) with (exchang\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:08
S74	655	(switch or edge manager) with (access point or edge device or base station) with (exchang\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:08

S75	36	(switch or edge manager) with (access point or edge device or base station) with (exchang\$4) with (protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:09
S76	6898	broadcom.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:47
S77	3078	S76 and @ad<"20021008"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:51
S78	862	S76 and @pd<"20021008"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:53
S79	0	S76 and @pd<="2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:54
S80	0	S76 and @pd<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:54
S81	273	S76 and @pd<="20011007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:55

S82	35	S76 and @pd<="20011007" and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 18:55
S83	5	"632807".ap.	US-PGPUB; USPAT	OR	OFF	2007/03/27 14:39
S84	16	("20030193895" "5564070" "5812951" "5898679" "5987062" "6130892" "6154461" "6414950" "6487406" "6512754" "6535493" "6546425" "6574197" "6608832" "6611532" "6701361").PN. OR ("7002932").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/27 16:48
S85	2	"6535493".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:26
S86	2	"6389464".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/27 17:28
S87	2	"6870822".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:30
S88	0	status of the wireless device from the access point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/27 17:30

589	0	status of wireless device with access point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/27 17:31
S90	0	(status of wireless device) with (access point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/27 17:31
S91	0	(poll or check or monitor)(status of wireless device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/27 17:31
S92	33	(poll or check or monitor)(wireless device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/27 17:37
S93	124	(poll or check or monitor)with (wireless device) with (state or status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 17:39
S94	4	(poll or check or monitor)with (wireless device) with (state or status) with(access point or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 17:39
S95	4 0	wireless Lan switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/03/28 11:24

S96	0	edge rounter with access point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/03/28 10:16
S97	0	edge rounter and access point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 10:16
S98	1	edge rounter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 10:17
S99	. 56	edge router with access point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 10:17
S10 0	219	wireless Lan switch or WLAN switch or wireless LAN controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 10:48
S10 1	55	(wireless Lan switch or WLAN switch or wireless LAN controller) with (access point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 10:48
S10 2	1	"20040087307".pn.	US-PGPUB; USPAT	OR .	OFF	2007/03/28 11:17
S10 3	55	wireless access controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 11:24

S10	1	(wireless access controller) with	US-PGPUB;	ADJ	ON	2007/03/28 11:26
4	1	(access point)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AD3		2007/03/20 11:20
S10 5	204	(access controller) with (access point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 11:26
S10 6	104	(access controller) with (access point) with (wireless or WLAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 14:01
S10 7	2	"20040203749".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 14:02
S10 8	1	"7088698".pn.	USPAT	OR _.	OFF	2007/03/28 14:05
S10 9	. 1	"6512754".pn.	USPAT	OR	OFF	2007/03/28 14:08
S11 0	1	"6697354".pn.	USPAT	OR	OFF	2007/03/28 14:17
S11 1	3	"859334".ap.	USPAT	OR	OFF	2007/03/28 14:19
S11 2	4	"756346".ap.	USPAT	OR	OFF	2007/03/28 14:38
S11 3	1	"20020085516".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/28 14:39
S11 4	1	"20040028009".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/28 14:40
S11 5	1	"20040072593".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/28 14:42
S11 6	1	"6307837".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/28 15:15
S11 7	1	"7088698".pn.	US-PGPUB; USPAT	OR	OFF	2007/03/28 15:55

S11 8	5	"632807".ap.	US-PGPUB; USPAT	OR	OFF	2007/03/28 16:04
S11 9	2724	messaging protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/28 16:05
S12 0	11	S119 same (AP or Access point) same (WLAN switch or Wireless Lan switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 16:07
S12 1	54	(AP or Access point) same (WLAN switch or Wireless Lan switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 16:07
S12 2	13	(exchang\$4) same (AP or Access point) same (WLAN switch or Wireless Lan switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 16:08
S12 3	54	(AP or Access point) same (WLAN switch or Wireless Lan switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/28 16:45
S12 4	1	"7028183".pn	USPAT	OR	OFF	2007/03/28 17:26
S12 5	56	exchang\$4 with (access point) with (switch or network device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/28 17:28

S12	16	exchang\$4 with (access point)	US-PGPUB;	ADJ	OFF	2007/03/28 18:32
6		with (switch or network device) with wireless	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S12 7	1	"6813496".pn.	USPAT	OR	OFF	2007/03/28 18:40
S12 8	22	Wavelink.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:40
S12 9	179	(filter\$4) with (packet) with (priority)	USPAT	OR	ON	2007/03/29 14:23
S13 0	5	"632807".AP.	US-PGPUB; USPAT	OR ·	OFF	2007/03/29 16:26
S13 1	1	"20010037395".pn.	US-PGPUB; USPAT	OR .	OFF	2007/03/29 16:27
S13 2	878	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/25 14:55
S13 3	206	(713/154).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 14:55
S13 4	9190	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) same (access point or base station) same wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 14:56
S13 5	2938	(poll\$4 or check\$4 or insepct\$4 or census\$4 or surve\$4) same (access point or base station) same wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:56

S13 6	32	S132 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:57
S13 7	0	S133 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:58
S13 8	0	Kar-wing-Edward-lor.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:59
S13 9	0	Kar-wing-lor-Edward.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:59
S14 0	0	Karwing-lor-Edward.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:59
S14 1	0	Kar-wing-lor.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 14:59
S14 2		Richard-Martin.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 15:00

				· · · · · · · · · · · · · · · · · · ·		
S14 3	0	Alarabi-Hassen-omar.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 15:00
S14 4	0	Alarabi omar-Hassen.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 15:00
S14 5	0	Alarabi-Hassen.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/25 15:00

Page 25 2/13/2008 5:44:16 PM C:\Documents and Settings\ashan\My Documents\EAST\Workspaces\10632807Wireless.wsp

```
EIC Comprehensive
search by
5 07 searchen
Jan 29 Geoffred
Stleger
File 275:Gale Group Computer DB(TM) 1983-2008/Feb 07
           (c) 2008 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2008/Jan 29
           (c) 2008 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2008/Feb 11
           (c) 2008 The Gale Group
File 16:Gale Group PROMT(R) 1990-2008/Feb 08
           (c) 2008 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
           (c) 1999 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2008/Jan 28
           (c)2008 The Gale Group
File 624:McGraw-Hill Publications 1985-2008/Feb 12
(c) 2008 McGraw-Hill Co. Inc
File 15:ABI/Inform(R) 1971-2008/Feb 12
           (c) 2008 ProQuest Info&Learning
File 647:CMP Computer Fulltext 1988-2008/Jan W4
(c) 2008 CMP Media, LLC
File 674:Computer News Fulltext 1989-2006/Sep W1
           (c) 2006 IDG Communications
File 696:DIALOG Telecom. Newsletters 1995-2008/Feb 11
(c) 2008 Dialog
File 369:New Scientist 1994-2007/Sep W4
           (c) 2007 Reed Business Information Ltd.
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
           (c) 1999 PR Newswire Association Inc
File 610:Business Wire 1999-2008/Feb 04
           (c) 2008 Business Wire
File 613:PR Newswire 1999-2008/Feb 04
           (c) 2008 PR Newswire Association Inc
                   Description
Set
         Items
               SWITCH OR SWITCHES OR GATEWAY? ? OR BRIDGE OR BRIDGES OR N-ETWORK() (DEVICE? ? OR UNIT? ? OR ELEMENT? ?)

MANAGER? ? OR CONTROLLER? ?

ACCESS() POINT? ? OR AP OR APS OR BASE() STATION? ? OR WIREL-
       2409466
S1
       7154668
S2
S3
        414244
               ESS()(ROUTER? ? OR GATEWAY? ?)

S3(5N)(CONFIGUR? OR MANAGE OR MANAGES OR MANAGED OR MANAGI-
S4
         18305
               NG OR MANAGEMENT OR ADMINIST?)
       3000887
                   ASSOCIATED
56
            601
                   $1:$2(100N)$4(100N)$5
                   RD (unique items)
S7 NOT PY=2003:2008
s7
            294
s8
            106
S9
            106 Sort S8 /ALL/PD,A
S10
         26629
                   ARUBA
S11
            625
                   $1:$2(100N)$4(100N)$10
            327
              27 RD S11 (unique items)
4 S12 NOT PY=2003:2007
S12
S13
S14
                   (WIRELESS OR WLAN) (10N) S1
         83193
           1344
S15
                   S10 AND S14
             10
                   S15 NOT PY=2003:2007
S16
           10
517
                   RD
                       (unique items)
S18
           3539
                   VERNIER
            288
                   S14 AND S18
s19
S20
                   S19 NOT PY=2003:2008
             84
                   RD 520
                             (unique items)
             48
S21
            15
                   S21 AND S4
```

(Item 6 from file: 636) 9/3.K/6DIALOG(R) File 636: Gale Group Newsletter DB(TM) (c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 40682534 (USE FORMAT 7 FOR FULLTEXT) AT&T SAYS DEFINITY'S ARCHITECTURE IS KEY TO THE SYSTEM'S ADVANTAGES The Report on AT&T, v7, n6, pN/A Feb 13, 1989 Record Type: Fulltext Language: English Document Type: Newsletter; Trade 1520 Word Count:

task-oriented screens that make administering and managing the system easier and less time-consuming.

Manager One is the system management tool for Definity's Generic 1, and is identical to the existing System 75 System Access Terminal.

Manager One accesses the internal administrative programs of the

switch to provide user-friendly move-and-change capabilities as well as traffic data and maintenance reports. Manager Two is the basic switch administration and maintenance

ap - plication for Definity's Generic 2.

Manger Two features a new interface with easy-to-understand English language field descriptions and extensive on-line help.

Manager Two runs on an MS/DOS personal computer Manager Three is a new system administration tool that builds on the

features offered by Manger Two.

Manager Three adds an Informix database for reports, schedules and modeling, and a work organizer to help users work more efficiently.

Manager Three runs on the AT&T 6386E Work Group System or 3B2-600

computer

With Definity Manager Four, AT&T offers a modular version of its Centralized System Management offering -- the "premier" large-system configuration administration tool in today's marketplace, according to the company.

Manager Four runs on a 3B2-600 and is the new modularized version of CSM's facility management and terminal change management software.

Manager Four is designed to meet the needs of large, complex systems

with high volumes of...

...Monitor 1 is a flexible, modular application that can stand alone or co-reside with Manager Three or Manager Four.

Monitor 1 gives users the ability to monitor the performance of switch associated facilities. New problems often can be spotted and resolved before they affect users, AT&T...

(Item 8 from file: 636) 9/3, K/8DIALOG(R) File 636:Gale Group Newsletter DB(TM) (c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 41341913 (USE FORMAT 7 FOR FULLTEXT) NORTHERN TELECOM: CREATES NETWORK INTEGRATION DIVISION EDGE, on & about AT&T, v5, n95, pN/A May 21, 1990 Language: English Record Type: Fulltext Document Type: Newsletter; Trade 920 Word Count:

provides equipment, installation, and maintenance through NTI's

existing distribution channels.

The NID optimizes network administration costs by implementing ap -propriate and streamlined administrative processes and procedures.

Trunk, line and switch usage are optimized through the application of improved trouble detection, reporting and clearance procedures and...

...and interoperability among various service vendors. NID coordinates with NTI's distributors to provide services associated with the procurement and installa- tion of Northern Telecom network components. NTI's service offers...

DIALOG(R)File 674:Computer News Fulltext (c) 2006 IDG Communications. All rts. reserv.

014665

Feds serve up GOSIP 2.0, mandating use of ISDN, VT
Set to take effect in '92, the mandate calls for additional compliances
for gov't net purchases.

Byline: Ellen Mesmer, Washington Correspondent
Journal: Network World Page Number: 2

Byline: Ellen Mesmer, Washington Correspondent Journal: Network World Page Number: 2 Publication Date: April 08, 1991 Word Count: 948 Line Count: 68

Text:

... end system, such as circuit-switched access to a packet handler integral to an ISDN switch and dedicated circuit access to another GOSIP end or intermediate system.

Because development of ISDN...

...to regularly update its ISDN GOSIP requirements.
ODA requirements

GOSIP 2.0 also requires network managers to stipulate Office Document Architecture (ODA) support in their future FTAM and X.400 requests

... network addressing scheme promulgated in the U.S. today --- is referred to as Network Service Access Points. The General Services Administration is the official authority designated to assigning the network addresses to government agencies.

GOSIP 2.0 also lists several options for network managers to consider in their purchases, including security features, provision of Connectionless Transport Service (CLTS) and...

... 25 networks. The GOSIP document states that the ''use of CONS can lower the overhead associated with the Connectionless Network Protocol [CLNP] and may permit interoperation of systems that do not comply with GOSIP,' that is, do not implement CLNP.

Jerry Mulvenna, manager of the network applications group at NIST, said that CLTS and CONS had been included...

9/3,K/23 (Item 23 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2008 ProQuest Info&Learning. All rts. reserv.

01072003 97-21397
Paychex manages telecom resources with Centrex and MOSCOM's INFO/MDR Gunderman, Robert D; Henderson, Gerry
Telecommunications (Americas Edition) v29n7 PP: 64 Jul 1995
ISSN: 0278-4831 JRNL CODE: TEC
WORD COUNT: 842

...TEXT: a processor, hard disk, or multiple hard disks (the disks can be mirrored if required), switch interface, modem ports, and an alarms interface with LSSGR formatted alarms for both local and...

...personal computer at Paychex. As usage reports, traffic studies, and management reports are needed, INFO/ Manager polls the MP at intervals predetermined by Paychex. After several levels of security checks, Paychex ...

...MPs across multiple central offices. When new customers are added, Rochester Telephone adds a MOSCOM administrator processor (AP) to its network of MPs. This enables numerous administrative functions such as setting user privileges...

...properly packaged Centrex offering can provide all of the benefits of a PBX, without the associated maintenance issues, software upgrades, and overall management of a large, in-house switching system.

According...

...and the benefits of its telephone investment.

Robert D. Gunderman, P.E., is senior product manager for network products

at MOSCOM Corporation.

Gerry Henderson is national sales manager for distribution sales with MOSCOM.

9/3,K/34 (Item 34 from file: 810) DIALOG(R)File 810:Business Wire (c) 1999 Business Wire . All rts. reserv.

0691037 BW0242

FILENET: FileNet Announces Saros @mezzanine Version 1.2; new kiosk development tool works with Saros @mezzanine 1.2 to speed Intranet application development

April 14, 1997

Byline:

Business Editors & Computer/High-Tech Writers

...2 and Saros (R) Kiosk
Builder (TM), a new visual programming tool that lets Intranet
administrators rapidly build information kiosks -- Intranet access
points -- without writing software code.
Saros @mezzanine 1.2

Saros @mezzanine 1.2 is designed to complement Saros Document
Manager and fully utilize new features and innovations in the Saros
Mezzanine library services. This release...

...Access: Users can view a list of all versions of an item and the properties associated with each version.-- Multivalue custom property support: Users can display multivalue custom properties for items...

9/3,K/39 (Item 39 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2008 The Gale Group. All rts. reserv.

01593337 Supplier Number: 48183121 (USE FORMAT 007 FOR FULLTEXT) iPass Supports Microsoft Internet Connection Services for Roaming and Remote Access Services.
Business Wire, p12170048
Dec 17, 1997
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 848

... needs to the Internet, eliminating the need for expensive long-distance calls and the costs associated with maintaining in-house dial-in centers.

In addition, enterprises can significantly increase productivity by...

...features, each enhancing and working seamlessly with the iPass roaming and remote access services:

-- Connection Manager: a software client dialer with a simple point-and -click user interface and the ability...

...prices and help files. iPass offers this tool to its partners, complete with the iPass access points around the world.

-- Connection Manager Administration Kit: a simple wizard that

-- Connection Manager Administration Kit: a simple Wizard that allows network administrators to customize the Connection Manager client with their brand, custom help files, etc.

with their brand, custom help files, etc.

-- Connection Point Services: a Windows NT service that ensures the phone numbers within the Connection Manager are always updated. It enables an organization to centrally manage and integrate multiple phone books...

9/3,K/58 (Item 58 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 59153604 (USE FORMAT 007 FOR FULLTEXT) Glenayre Introduces Intelligis System Management Unit at GSM World Congress 2000.

PR Newswire, p1145

Feb 2, 2000

Record Type: Fulltext

Language: English Record Ty Document Type: Newswire; Trade Word Count: 534

to reduce operating costs by simplifying provisioning and maintenance functions and by minimizing development costs associated with provisioning system modifications."

As the network operator's subscriber base and system grows, service

...geographically dispersed. The Glenayre Intelligis System Management Unit (Intelligis SMU) provides a unified and central access point to administer and proactively monitor the myriad of applications available from the Glenayre modular enhanced services platform...

...optimal load balancing. Additionally, the capability to receive logs and fault information from the Intelligis network devices is provided. Logs can be archived and restarted to gain a historical data perspective of...

9/3,K/91 (Item 91 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2008 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 82077887 (USE FORMAT 7 OR 9 FOR FULL TEXT) Small Wi-Fi Wonder. (Hardware Review) (Evaluation) Brown, Bruce PC Magazine, 21, 1, 45 Jan 15, 2002 DOCUMENT TYPE: Evaluation ISSN: 0888-8507 LANGUAGE: English RECORD TYPE: Fulltext WORD COUNT: LINE COUNT: 00035 429

a vertical-bar chart to display the strength of the signal from the access point associated with the card. The APs screen displays the media access-control addresses of 802.11b APs in range. Keep in mind, however, that savvy administrators set their APs to nondiscovery mode. Protected APs that the Wireless Networker can associate with won't show...

...free. We tested the card by browsing the Web via our home network's residential gateway and DSL modem, using Pocket Internet Explorer on the Pocket PC and the Handspring Blazer...

(Item 1 from file: 275) 13/3, K/1DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2008 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 174655296 (USE FORMAT 7 OR 9 FOR FULL TEXT

Airwave Rolls Out Wireless Management Suite Version 5.3.

Wireless News, NA Feb 11, 2008

LANGUAGE: English RECORD TYPE: Fulltext LINE COUNT: 00033 WORD COUNT: 328

expands the depth and breadth of Airwave's support for wireless infrastructure products from Cisco, Aruba, Meru, Trapeze, Tropos, ProCurve and other enterprise WLAN, mesh, and WiMAX vendors. AirWave 5.3...

...migration by assessing where network utilization is approaching capacity. Other new features include global device configuration templates, enhanced rogue access point detection, and integrated monitoring of routers and switches.

"The Airwave 5.3 software reduces our support costs and eliminates management headaches by making...

13/3, K/2(Item 1 from file: 621) DIALOG(R) File 621: Gale Group New Prod. Annou. (R) (c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 174286438 (USE FORMAT 007 FOR FULLTEXT) Airwave Wireless Management Suite Version 5.3 Expands Options for WLAN Managers. Business Wire, pNA Feb 6, 2008 Language: English Record Type: Fulltext

Document Type: Newswire; Trade Word Count: 467

Word Count:

... expands the depth and breadth of AirWave's support for wireless infrastructure products from Cisco, Aruba, Meru, Trapeze, Tropos, ProCurve and other leading enterprise WLAN, mesh, and WiMAX vendors. AirWave 5...

...migration by assessing where network utilization is approaching capacity. Other new features include global device configuration templates, enhanced rogue access point detection, and integrated monitoring of routers and switches.

"The Airwaye 5.3 software reduces our support costs and eliminates

management headaches by making...

13/3,K/3 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2008 The Gale Group. All rts. reserv.

14631516 Supplier Number: 173427342 (USE FORMAT 7 FOR FULLTEXT)
Aruba-Airwave: A subtle harbinger of change? * How wireless might affect sourcing strategies.(Aruba Wireless Networks)(AirWave Wireless Inc.) Wexler, Joanie Network World, pNA Jan 14, 2008 Language: English Record Type: Fulltext Document Type: Magazine/Journal; General Trade Word Count: 424

Last week's announcement that wireless LAN system maker Aruba intends to snap up WLAN management company Airwave Wireless for \$37 million left me pondering...

...a par status with wired LANs, will the primary enterprise suppliers remain the traditional

router/ switch companies? Or will they shift to wireless-centric companies?

Conversely, will independent WLAN makers without...

...network demarcation lines and requires unprecedented levels of interoperability?

There's a reason that the Aruba -Airwave deal put me on this train of thought. Clearly, Aruba - the No. 3 enterprise market-share leader behind Cisco, according to Synergy Research Group - feels...

...wanted a total replacement for existing
WLANS," acknowledged Michael Tennefoss, head of strategic marketing
at Aruba. "Now, we have an entree to make a presentation

(into those shops.)"
Airwave makes a Wi-Fi management system that configures and manages fat and thin access points and WLAN controllers from multiple

vendors. Tennefoss sees enterprises migrating transitionally to high-speed 802.11n over an...

...period during which new
and legacy equipment will co-exist and require such unified
management. Aruba has long danced around the wired side of the
network, too, with firewalls that work...

...vendors can remain independent entities going forward. Long term, any of these independent companies, including Aruba, are subject to getting acquired."

Not surprisingly, independent WLAN maker Meru Networks has a different...

(Item 1 from file: 16) 17/3, K/1DIALOG(R) File 16:Gale Group PROMT(R)
(c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 173427396 (USE FORMAT 7 FOR FULLTEXT) Aruba acquires WLAN management vendor AirWave; Acquisition gives a foot in the door of Cisco and Motorola customers.(Aruba Wireless Networks)(AirWave Wireless Inc.) Cox. John

Network World, pNA Jan 9, 2008

Language: English Record Type: Fulltext Document Type: Magazine/Journal; General Trade

Word Count: 476

Aruba acquires WLAN management vendor AirWave; Acquisition gives Aruba a foot in the door of Cisco and Motorola customers. (Aruba Wireless Networks) (AirWave Wireless Inc.)

Aruba Networks announced today it has acquired a leading wireless

LAN management vendor, AirWave Wireless, for \$37 million.

The purchase gives Aruba a well-regarded WLAN management application, one of the few that can manage different brands...

administers a common set of features across a multivendor network. Today, AirWave supports Cisco, Aruba, HP ProCurve, Motorola/Symbol, Avaya, Foundry, Proxim, 3Com, Trapeze, Tropos and many

other vendors. Enterprise WLANs are less uniform than they may at first seem. A company might deploy WLAN switches and thin access points in a headquarters, but chose intelligent access points for retail outlets...

..disruptive technologies" like 802.11n and WiMAX, says Michael Tennefos, head of strategic marketing for

Aruba "These technologies mean potentially costly large-scale upgrades to the edges and core of the...

...doing." That means continuing to develop its platform as a vendor-neutral wireless management

framework. Aruba will continue to sell its existing WLAN
management application for Aruba -only deployments.

Tennefoss says the acquisition gives Aruba the tools to apply its
"unified network" concept across the various wireless topologies

and technologies that enterprises are adopting, and blend these more seamlessly with the existing wireline infrastructure.

And Aruba now has a foot in the door of Cisco and Motorola customers, where AirWave has...
...COMPANY NAMES: Contracts; Aruba Wireless Networks...

17/3, K/2(Item 2 from file: 16) DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2008 The Gale Group. All rts. reserv.

Supplier Number: 173427342 (USE FORMAT 7 FOR FULLTEXT) Aruba -Airwave: A subtle harbinger of change? * How wireless might affect sourcing strategies. (Aruba Wireless Networks) (AirWave Wireless Inc.) Wexler, Joanie Network World, pNA Jan 14, 2008 Language: English Record Type: Fulltext Document Type: Magazine/Journal; General Trade Word Count:

Aruba -Airwave: A subtle harbinger of change? * How wireless might affect sourcing strategies. (Aruba Wireless Networks) (AirWave Wireless Inc.) Last week's announcement that wireless LAN system maker Aruba intends to snap up WLAN management company Airwave Wireless

for \$37 million left me pondering...

...a par status with wired

LANs, will the primary enterprise suppliers remain the traditional router/ switch companies? Or will they shift to wireless -centric companies?

Conversely, will independent WLAN makers without wired network gear, telephony equipment and unified...

...network demarcation lines and requires unprecedented levels of interoperability?

There's a reason that the Aruba -Airwave deal put me on this train of thought. Clearly, Aruba - the No. 3 enterprise market-share leader behind Cisco, according to Synergy Research Group - feels...

...wanted a total replacement for existing
WLANS," acknowledged Michael Tennefoss, head of strategic marketing
at Aruba. "Now, we have an entree to make a presentation
(into those shops.)"
Airwave makes a...

...period during which new and legacy equipment will co-exist and require such unified management. Aruba has long danced around the wired side of the network, too, with firewalls that work...

...vendors can remain independent entities going forward. Long term, any of these independent companies, including Aruba, are subject to getting acquired."

Not surprisingly, independent WLAN maker Meru Networks has a different...
...COMPANY NAMES: Mergers, acquisitions and divestments; Aruba Wireless Networks...

?

(Item 2 from file: 275) DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2008 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 92232809 (USE FORMAT 7 OR 9 FOR FULL TEXT) Wireless LANs at the office - IT becomes an air traffic controller when managing WLANs and their users.

Schwartz, Ephraim Infoworld, 24, 39, 34 Sept 30, 2002 ISSN: 0199-6649

LANGUAGE: English WORD COUNT: 1644 LINE COUNT: 00131

RECORD TYPE: Fulltext

... decides to rethink its original decision and open up the wireless network? Now the network administrator has to upgrade the APs , which were artfully and painstakingly placed above the ceiling tiles. Unless the software purchased with...

...keeps the user connected, Sturniolo adds.

After security, the single biggest reason customers come to Vernier is because it has a roaming solution across subnets that allows users to move seamlessly...

...to another without breaking the connection, says Julian Richards, senior director of product marketing at Vernier Networks in Mountain View, Calif. If roaming is not addressed, "(and) you move to another...that each AP be changed individually.

To address the need for better central WLAN control, Vernier offers a two-tier solution that includes boxes at the edge that the APs plug...

...this month its solution for central control of WLANs as well. Using a so- called wireless switch -- not actually wireless but cabled to the wireless APs -- Symbol's Mobius uses dumbed-down access ports rather than access points and puts all of the intelligence into the switch that connects to the network. With WLAN management centralized on a switch, network managers will have a systemwide view of the network on their console and a...

...see "At the wireless edge"). To sidestep this potential problem, companies such as Symbol and Vernier plan to build redundancy into the next version of their systems, according to sources. The...

(Item 1 from file: 15) DIALOG(R) File 15:ABI/Inform(R) (c) 2008 ProQuest Info&Learning. All rts. reserv.

02428810 203588851 WLAN on campus Schwartz, Ephraim Infoworld v24n39 PP: 1, 34 Sep 30, 2002 ISSN: 0199-6649 JRNL CODE: IFW WORD COUNT: 1583

...TEXT: decides to rethink its original decision and open up the wireless network? Now the network administrator has to upgrade the APs , which were artfully and painstakingly placed above the ceiling tiles.

Unless the software purchased with...

...keeps the user connected, Sturniolo adds.

After security, the single biggest reason customers come to Vernier is because it has a roaming solution across subnets that allows users to move seamlessly...

..to another without breaking the connection, says Julian Richards, senior director of product marketing at Vernier Networks in Mountain View, Calif. If roaming is not addressed, "[and] you move to another...that each

AP be changed individually.

To address the need for better central WLAN control, Vernier offers a two-tier solution that includes boxes at the edge that the APs plug...

...this month its solution for central control of WLANs as well. Using a so-called wireless switch - not actually wireless but cabled to the wireless APs - Symbol's Mobius uses dumbed-down access ports rather than access points and puts all of the intelligence into the switch that connects to the network. With WLAN management centralized on a switch, network managers will have a systemwide view of the network on their console and a...

...At the wireless edge," below). To sidestep this potential problem, companies such as Symbol and Vernier plan to build redundancy into the next version of their systems, according to sources.

```
File 348: EUROPEAN PATENTS 1978-2007/ 200806
(c) 2008 European Patent Office
File 349:PCT FULLTEXT 1979-2008/UB=20080131UT=20080124
                (c) 2008 WIPO/Thomson
Set
              Items
                      Description
SWITCH OR SWITCHES OR GATEWAY? ? OR BRIDGE OR BRIDGES OR NETWORK() (DEVICE? ? OR UNIT? ? OR ELEMENT? ?)
MANAGER? ? OR CONTROLLER? ?
ACCESS() POINT? ? OR AP OR APS OR BASE() STATION? ? OR WIRELESS() (ROUTER? ? OR GATEWAY? ?)
S3(SN) (CONFIGUR? OR MANAGE OR MANAGES OR MANAGED OR MANAGING OR MANAGEMENT OR ADMINIST?)
                            Description
            472607
S1
            309997
S2
S3
            143397
54
                      NG OR MANAGEMENT OR ADMINIST?)
                      OR FINANCEMENT OR ADMINISTRY

S3(10N)(POLL??? OR REQUEST??? OR INQUIR??? OR QUER????)

(ASSOCIATED OR COUPLED)(7N)(CLIENT? ? OR STATION? ? OR STATION? OR STATION? ? OR OR STATION? ? OR OR STATION? ? OR OR STATION? ? OR OR OR STATION? ? OR COMPUTER? ? OR PC? ? OR LAPTOP? ? OR NODE? ? OR TERMINAL? ? OR MU OR MUS)
              10590
S6 -
            310397
                            s5(30N)s6
                 934
                      (AP OR APS OR ACCESS() POINT? ?)(10N)(POLL??? OR REQUEST??? OR INQUIR??? OR QUER????)
                3573
S8
                  338
                            s8(30N)s6
s9
                            s1:s2(50N)s9
S10
                   68
                            $10 AND AC=US/PR AND AY=(1978:2002)/PR
$10 AND AC=US AND AY=1978:2002
S11
                   16
S12
                   16
                            $10 AND AC=US AND AY=(1978:2002)/PR
$10 AND PY=1978:2002
                   16
S13
S14
                   19
                            S11:S14
S15
                            IDPAT (sorted in duplicate/non-duplicate order)
                   19
S16
S17
                7339
                            (STATUS OR STATE)(5N)S6
                            $8(30N)$17
$8(50N)$17
s18
                   11
S19
                   14
                      716
S20
                 104
S21
                            AC=US/PR AND AY=(1978:2002)/PR
S21 AND AC=US/PR AND AY=(1978:2002)/PR
            949734
S22
S23
                   30
                            S21 AND AC=US AND AY=1978:2002
S24
                   30
                            S21 AND AC=US AND AY=1978:2002
S21 AND AC=US AND AY=(1978:2002)/PR
S21 AND PY=1978:2002
S25
                   30
s26
                   30
S27
                   27
S28
                            S23-S27
```

```
(Item 7 from file: 348)
16/3.K/7
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2008 European Patent Office. All rts. reserv.
01499752
METHOD FOR SETTING UP COMMUNICATION PATHS BETWEEN ACCESS POINTS OF A
    SWITCHING SYSTEM, AND SWITCHING SYSTEM IMPLEMENTING SAID METHOD
VERFAHREN ZUM EINRICHTEN VON KOMMUNIKATIONSWEGEN ZWISCHEN ZUGRIFFSPUNKTEN
              VERMITTLUNGSSYSTEMS
                                       UND
                                             DAS
                                                     VERFAHREN
                                                                   IMPLEMENTIERENDES
    VERMITTLUNGSSYSTEM
PROCEDE D'ETABLISSEMENT DE CHEMINS DE COMMUNICATION ENTRE DES POINTS D'ACCES D'UN SYSTEME DE COMMUTATION, ET SYSTEME DE COMMUTATION METTANT
    EN OEUVRE LE PROCEDE
PATENT ASSIGNEE:
  AASTRA MATRA TELECOM, (7501870), 1, rue Arnold Schoenberg, 78280
Guyancourt, (FR), (Proprietor designated states: all)
  MERCURIALI, Jean-Pierre, 10, rue de chartres, F-91400 Orsay, (FR)
CHEVRIER, Emmanuel, 12, Villa de l'Albatros, F-91470 Limours, (FR)
LEGAL REPRÉSENTATIVE
  Loisel, Bertrand (75211), Cabinet Plasseraud 52 rue de la Victoire, 75440
wo 2002052826 020704
                                  EP 2001272060 011211; WO 2001FR3918 011211
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): FR 0016928 001222
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04M-007/00; H04L-029/12; H04M-003/54;
  H04M-003/56
INTERNATIONAL CLASSIFICATION (V8 + ATTRIBUTES):
IPC + Level Value Position Status Version Action Source Office:
                     A I F B 20060101 20020710 H EP
A I L B 20060101 20020710 H EP
A I L B 20060101 20020710 H EP
  H04M-0007/00
  H04L-0029/12
  H04M-0003/54
  H04M-0003/56
                      A I L B 20060101 20020710 H EP
No A-document published by EPO LANGUAGE (Publication, Procedural, Application): French; French; French
FULLTEXT AVAILABILITY:
                               Update
                                           Word Count
Available Text Language
                               200712
                                            1277
       CLAIMS B
                  (English)
       CLAIMS B
                    (German)
                               200712
                                            1056
       CLAIMS B
                    (French)
                               200712
                                            1302
       SPEC B
                    (French)
                               200712
                                            8074
Total word count - document A
Total word count - document B
                                           11709
Total word count - documents A + B
                                           11709
...CLAIMS said call configuration data indicating whether the communication
  path to be set up comprises a gateway interface.

9. The method as claimed in claim 8, comprising the following steps for
       setting...
```

- ...requested terminals:- creation of a first call processing task (71, 171) in the call server associated with the requester terminal (70,
 - formation, by the first call processing task, of a setup message including at least one number of the requested terminal and the indication of the family of the access point to which the requester terminal is connected;
 - in response to the receipt of said setup message, creation of a second call processing task (81, 181) in the call server associated with the requested terminal (80, 180);
 - interrogation of the configuration manager by the second call processing task, on the basis of a set of parameters relating...

1/PL segres

Web Images Maps News Shopping Gmail more

<u>Sign in</u>

Google

Kar-wing Edward Lor

Search

Advanced Search **Preferences**

Web

Results 1 - 10 of about 424 for Kar-wing Edward Lor. (0.08 seconds)

DBLP: Kar-Wing Edward Lor

4, Kar-Wing Edward Lor: A Network Diagnostic Expert System for Acculink ... 1, Kar-Wing Edward Lor: Operational Definitions for System Requirements as the ... www.informatik.uni-trier.de/~ley/db/indices/a-tree/l/Lor:Kar=Wing_Edward.html - 5k -Cached - Similar pages

Automatic Synthesis of SARA Design Models from System Requirements 17 Kar-Wing Edward Lor, An assistant for requirement-driven system design, University of California at Los Angeles, Los Angeles, CA, 1988 ... portal.acm.org/citation.cfm?id=126296 - Similar pages

An assistant for requirement-driven system design

Kar-Wing Edward Lor, Daniel M. Berry, Automatic Synthesis of SARA Design Models from System Requirements, IEEE Transactions on Software Engineering, ... portal.acm.org/citation.cfm?id=59814 - Similar pages More results from portal.acm.org »

Operational Definitions for System Requirements as the Basis of ... @article{ lor91operational, author = "Kar-Wing Edward Lor", title = "Operational Definitions for System Requirements as the Basis of Design Automation", ... citeseer.ist.psu.edu/582798.html - 22k - Cached - Similar pages

The Mathematics Genealogy Project - Edward Lor

Edward Kar-Wing Lor, Ph.D. University of California, Los Angeles 1988. Dissertation: An Assistant For Requirement-Driven System Design ... genealogy .math.ndsu.nodak.edu/id.php?id=69970 - 11k - Cached - Similar pages

(WO/2007/019803) AUTHENTIC DEVICE ADMISSION SCHEME FOR A SECURE ... LOR, Kar-Wing Edward [US/US]; 25605 CRESTFIELD DR., Castro Valley, California 94552 (US) (US Only). CHEUNG, Yat Tung [CN/CN]; 5TH FLOOR, 2 SCIENCE PARK ... www.wipo.org/pctdb/en/wo.jsp?wo=2007019803 - 15k - Cached - Similar pages

Kar-Wing Lor Patent Inventor Castro Valley, CA, US

Also you can save patents and inventions by Kar-Wing Lor using our FREE Organizer. It takes only 30 seconds to sign up or login. ... www.freshpatents.com/KarWing-Edward-Lor-CastroValley-invdirl.php - 9k -Cached - Similar pages

News from isinm'93

Kar-Wing Edward Lor (AT&T. Bell Laboratories, USA), 'A net-. work diagnostic expert system, for Acculink Multiplexers based, on a general network diagnostic ... doi.wiley.com/10.1002/nem.4560040209 - Similar pages

A customized network diagnostic expert system based on general ... Kar-Wing Edward Lor got his B.S. from the University of Maryland, College Park, M.S.. and Ph.D. from the University of California, Los Angeles, ... www.springerlink.com/index/T470340Q52760MM6.pdf - Similar pages

The Mathematics Genealogy Project - Edward Lor

Supported in part by a grant from The Clay Mathematics Institute. Please send feedback to Harry Coonce. Edward Kar-Wing Lor. Ph.D. genealogy.impa.br/id.php?id=69970 - 8k - Cached - Similar pages

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>N</u>	<u>ext</u>
Kar-wing Edward Lor	Search
Search within results Language Tools Search Tips Dissatisfied? He	elp us improve Try Google Experimental
©2008 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Bus</u>	iness Solutions - About Google



<u>Subscribe</u> (Full Service) <u>Register</u> (Limited Service, Free) <u>Login</u>

Search: • The ACM Digital Library • The Guide

(poll or inquire or check or survey) and (wirless device status)

THE ACM DIGITAL LIBRARY

Feedback

(poll or inquire or check or survey) and (wirless device status) and (access point or gateway or router)

Terms used:

Found 1 of 238,786

poll inquire check survey wirless device status access point gateway router

Sort results by

relevance

Save results to a Binder

Refine these results with Advanced

<u>Search</u>

Try this search in The ACM Guide

Display results

expanded form

☐ Open results in a new window

Results 1 - 1 of 1

1 Wireless MPLS: a new layer 2.5 micro-mobility scheme

Kaouthar Sethom, Hossam Afifi, Guy Pujolle

October 2004 **MobiWac '04:** Proceedings of the second international workshop on Mobility management & wireless access protocols

Publisher: ACM

Additional Information: full citation, abstract,

Full text available: pdf(480.36 KB)

references, cited by, index

terms

In next generation wireless networks, mobile nodes will be equipped with multiple interfaces and will be able to take advantage of overlay networks. In such environment, global IP mobility solutions have to be optimized to handle micro-mobility management, ...

Keywords: 802.11, MPLS, bluetooth, handover performance, hiprman, mobility management, wireless networking